

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.39
CANCELS ALL PREVIOUS LISTS.

FALL 1902 TRADE LIST

1840 Old Colony Nursery, 1902
T. R. Watson,
Plymouth, Massachusetts.

Prices of this list net, and subject to stock not being sold.

TERMS.— Cash with order or satisfactory reference, except where parties are known. Bills of regular customers become due June 1st for Spring shipments; January 1st for Fall shipments. Packing: boxes from 10 cents to 50 cents; bales from 50 cents to \$1.00; cases 2x2x4 ft., \$1.00; 2x2x6 ft., \$1.25; 2x2x8 ft., \$1.50; larger cases from \$1.75 to \$3.00. The following list of stock is all nursery grown, and all transplanted in last three seasons, except where noted; nearly all of it transplanted in 1901 and 1902. From this list 50 at the 100 rate, 5 at the 10 rate.

ORNAMENTAL TREES AND SHRUBS.

					Per 10	Per 100
50	Acer Pennsylvanicum	.	.	.	4 to 5 ft.	\$2.50 \$20.00
50	" platanoïdes, Norway Maple	.	.	.	8 to 9 ft.	3.00 25.00
50	" " Schewedleri	.	.	.	3 to 4 ft.	2.50 20.00
100	" polymorphum, (type) Japanese Maple	.	.	.	24 in.	2.00 15.00
100	" " atropurpureum, Japanese Maple	.	.	.	18 to 24 in.	3.00 25.00
100	Pseudo-platinus, Sycamore Maple	.	.	.	4 to 6 ft.	1.50 12.00
500	" saccharinum, Sugar Maple	.	.	.	4 to 5 ft.	1.25 15.00
50	" spicatum	.	.	.	5 to 6 ft.	2.50 20.00
200	Tartaricum Giunala	.	.	.	2 to 3 ft.	1.20 10.00
100	" "	.	.	.	3 to 4 ft.	1.50 15.00
50	Æsculus Hippocastaneum	.	.	.	4 to 5 ft.	2.50 20.00
100	" macrostachia, (Pavia macrostachia)	.	.	.	1 to 2 ft.	1.00 9.00
500	Alnus incana	.	.	.	2 to 3 ft.	.75 6.00
100	Amorpha fruticosa	.	.	.	4 to 5 ft.	1.00 8.00
50	Andromeda arborea	.	.	.	2 to 3 ft.	2.00 15.00
200	" Mariana	.	.	.	1 to 2 ft.	1.50 12.00
25	Aralia Spinoza	.	.	.	4 to 6 ft.	2.00
200	Azalea Mollis, strong, stocky	.	.	.	12 in.	3.00 25.00
200	" "	.	.	.	3 to 6 in.	1.00 8.00
1000	Baccharis halimifolia	.	.	.	2 to 4 ft.	.75 6.00
300	Berberis aquifolium	.	.	.	1 to 2 ft.	1.00 8.00
2000	" critica from seed bed	.	.	.	6 to 10 in.	.50 4.00
2000	" Sinensis, " "	.	.	.	6 to 10 in.	.50 4.00
1000	" Thunbergii	.	.	.	12 to 18 in.	1.00 7.00
2000	" " from seed bed	.	.	.	8 to 12 in.	.50 4.00
800	" vulgaris	.	.	.	12 to 18 in.	.40 3.00
1000	" " purpurea	.	.	.	3 to 4 ft.	.60 5.00
800	" " "	.	.	.	10 to 12 in.	.40 3.00
500	Betula alba	.	.	.	2 to 4 ft.	1.00 8.00
200	" lutea	.	.	.	4 to 5 ft.	1.50 12.00
100	" nigra	.	.	.	2 to 3 ft.	1.25 10.00
200	" papyrifera	.	.	.	5 to 7 ft	1.25 10.00
500	" "	.	.	.	2 to 3 ft.	1.00 8.00
100	" populifolia	.	.	.	5 to 6 ft.	1.25 10.00
500	" "	.	.	.	2 to 3 ft.	1.00 8.00
500	Caragana arborescens	.	.	.	3 to 4 ft.	1.00 8.00
200	Carya amara	.	.	.	1 ft.	.75 6.00
100	Castanea sativa, American Chestnut	.	.	.	4 to 5 ft.	2.50 20.00
500	Catalpa speciosa	.	.	.	3 to 4 ft.	1.00 8.00
1000	Ceanothus Americanus	.	.	.	2 ft.	1.00 8.00
50	Celtis occidentalis	.	.	.	2 to 4 ft.	2.00 15.00
50	Cephalanthus occidentalis	.	.	.	3 to 4 ft.	1.00 8.00
500	Cercis Canadense	.	.	.	3 to 4 ft.	1.25 10.00
50	Chionanthus Virginica, White Fringe	.	.	.	2 to 3 ft.	2.00 15.00
500	Cladrastis tinctoria	.	.	.	3 to 4 ft.	1.50 12.00
1000	Clethra alnifolia	.	.	.	2 to 3 ft.	1.00 8.00
100	Cornus circinata	.	.	.	1 to 2 ft.	1.25 10.00
100	" florida	.	.	.	3 to 4 ft.	1.50 12.00
500	" "	.	.	.	1 to 2 ft.	.80 7.00
200	" Mas	.	.	.	1 to 2 ft.	1.25 12.00

					Per 10	Per 100
300	<i>Cornus</i> <i>Mas.</i> var. from Japan	.	.	.	2 to 3 ft.	2.00 15.00
1000	" <i>panniculata</i>	.	.	.	2 to 3 ft.	1.00 8.00
200	" <i>sanguinea</i>	.	.	.	3 to 4 ft.	1.00 8.00
500	" <i>sericea</i>	.	.	.	4 to 5 ft.	1.25 10.00
1000	" <i>stolonifera</i> Siberica	.	.	.	2 to 3 ft.	1.25 10.00
200	<i>Cotoneaster</i> <i>Simonsii</i>	.	.	.	2 ft.	1.00 8.00
1500	<i>Crataegus</i> <i>Crus-galli</i>	.	.	.	1 to 2 ft.	.75 6.00
300	" <i>mollis</i>	.	.	.	1 to 2 ft.	.75 6.00
500	" seedlings, in 20 varieties	.	.	.	1 to 3 ft.	1.25 10.00
200	<i>Cytisus scoparius</i> , Scotch Broom	.	.	.	2 to 3 ft.	1.25 10.00
500	<i>Deutzia</i> <i>gracilis</i>	.	.	.	1 to 2 ft.	.75 5.00
300	" <i>scabra</i> , dble. rose	.	.	.	2 to 3 ft.	.75 6.00
300	" " white	.	.	.	2 to 3 ft.	.75 6.00
300	" " Fortune's new white	.	.	.	2 to 3 ft.	.75 6.00
300	" " Pride of Rochester	.	.	.	2 to 3 ft.	.75 6.00
300	" " Wellsii	.	.	.	2 to 3 ft.	.75 6.00
500	" " in above varieties	.	.	.	4 to 5 ft.	1.25 10.00
200	<i>Eleagnus hortensis</i> , Bohemian Olive	.	.	.	5 to 6 ft.	2.00 15.00
500	" " "	.	.	.	3 to 4 ft.	1.25 10.00
500	" <i>longipes</i> (<i>edulis</i>)	.	.	.	2 ft.	1.00 8.00
100	<i>Euonymous Americanus</i>	.	.	.	2 to 3 ft.	1.25 10.00
50	" <i>Euonymus Europaeus</i>	.	.	.	3 to 4 ft.	1.50 15.00
200	" <i>Japonicus</i> var. <i>radicans</i>	.	.	.	3 yr. from layers.	1.00 8.00
100	<i>Fagus ferruginea</i>	.	.	.	2 to 3 ft.	1.25 10.00
50	" <i>svylvatica</i>	.	.	.	5 to 6 ft.	3.00 25.00
25	" " <i>purpurea</i> , seedlings	.	.	.	5 to 6 ft.	4.00
25	" " " grafted	.	.	.	5 to 6 ft.	10.00
500	<i>Forsythia Fortunei</i>	.	.	.	12 to 24 in.	.80 7.00
1000	" <i>suspensa</i>	.	.	.	4 to 5 ft.	1.00 8.00
50	<i>Fraxinus Americana</i> , White Ash	.	.	.	7 to 9 ft.	2.50 20.00
100	" <i>sambucifolia</i>	.	.	.	1 ft.	.75 5.00
50	<i>Ginkgo biloba</i>	.	.	.	4 to 5 ft.	3.00 25.00
50	<i>Gymnocladus Canadense</i>	.	.	.	4 to 5 ft.	1.75 15.00
50	<i>Halesia tetraptera</i>	.	.	.	8 to 10 ft.	3.00 25.00
500	<i>Hamamelis Virginiana</i>	.	.	.	2 to 3 ft.	1.50 12.00
500	" " extra good	.	.	.	1 to 2 ft.	1.00 8.00
200	<i>Hibiscus Syriacus</i> , Althea, dble, named	.	.	.	2 to 3 ft.	.80 7.00
100	" " " single, mixed80 7.00
1000	<i>Hippophae rhamnoides</i>	.	.	.	1 to 2 ft.	.75 6.00
200	<i>Hydrangea panniculata</i>	.	.	.	18 to 24 in.	1.00 8.00
500	" " <i>grandiflora</i>	.	.	.	2 to 3 ft.	2.00 15.00
500	" " " "	.	.	.	12 to 18 in.	1.00 8.00
150	<i>Hypericum aureum</i>	.	.	.	18 in.	2.00 15.00
200	" <i>polyficum</i>	.	.	.	2 ft.	1.00 8.00
100	<i>Ilex glabia</i>	.	.	.	1 to 2 ft.	1.50 12.00
2000	" <i>verticillata</i> , seed bed	.	.	.	1 to 3 in.	3.00
200	<i>Juglans cinerea</i> , butter-nut	.	.	.	2 ft.	1.25 10.00
200	<i>Jasminium nudiflorum</i>	.	.	.	10 to 18 in.	1.25 10.00
200	<i>Kerria Japonica</i> , single, yellow	.	.	.	1 to 2 ft.	1.00 8.00
100	" " <i>variegata</i>	.	.	.	1 to 2 ft.	1.00 8.00
100	<i>Koelreuteria panniculata</i>	.	.	.	2 to 3 ft.	1.25 10.00
500	<i>Ligustrum Ibota</i>	.	.	.	12 to 18 in.	.75 5.00
2000	" <i>Japonicum</i> , California Privet	.	.	.	2 to 3 ft.	.50 4.00
5000	" " " " 1 yr.	.	.	.	12 to 18 in.	.20 1.50
500	" <i>media</i>	.	.	.	4 to 8 in.	.50 4.00
1000	" <i>vulgare</i>	.	.	.	3 to 4 ft.	.50 4.00
1000	" " 1 yr.	.	.	.	1 to 2 ft.	.20 1.50
1000	" <i>Reglianum</i>	.	.	.	18 to 24 in.	.75 5.00
50	<i>Liquidamber Styraciflua</i>	.	.	.	3 to 4 ft.	2.50 20.00
200	<i>Liriodendron Tulipifera</i> , Tulip Tree	.	.	.	5 to 6 ft.	1.25 10.00
100	<i>Lonicera Bella alvida</i>	.	.	.	3 to 4 ft.	1.00 8.00
100	" " <i>atrorosea</i>	.	.	.	3 to 4 ft.	1.00 8.00
200	" " <i>candida</i>	.	.	.	4 to 5 ft.	.75 6.00
100	" " <i>rosea</i>	.	.	.	3 to 4 ft.	1.00 8.00
100	" <i>Korolkowii</i>	.	.	.	3 to 4 ft.	1.50 12.00
100	" <i>Ruprectiana</i>	.	.	.	3 to 4 ft.	1.25 10.00
25	<i>Magnolia acuminata</i>	.	.	.	4 to 5 ft.	2.00
25	" <i>tripetala</i>	.	.	.	8 to 10 ft.	2.50
200	<i>Myrica asplenifolia</i>	.	.	.	2 ft.	.75 6.00
500	" <i>cerifera</i> , fine	.	.	.	12 to 18 in.	.75 6.00
25	<i>Nyssa sylvatica</i>	.	.	.	2 to 3 ft.	3.00

				Per 10	Per 100
500	<i>Philadelphus coronarius</i>	.	.	3 to 4 ft.	.75 6.00
500	" <i>grandiflorus</i>	.	.	3 to 4 ft.	.75 6.00
200	<i>Physocarpus opulifolia</i>	.	.	3 to 4 ft.	1.00 8.00
300	<i>Platinus Americanus</i>	.	.	2 to 4 ft.	1.25 10.00
50	<i>Populus balsamifera</i>	.	.	8 to 9 ft.	1.50 12.00
200	" <i>monilifera</i> , Carolina Poplar	.	.	8 to 9 ft.	1.25 10.00
200	" <i>nigra</i>	.	.	10 to 12 ft.	1.25 10.00
200	" " var. <i>Italica</i> , Lombardy Poplar	.	.	9 to 10 ft.	1.25 10.00
300	" " " " "	.	.	5 to 6 ft.	.75 6.00
25	<i>Prunus Americana</i>	.	.	4 to 6 ft.	2.50
100	" <i>avium</i> , fl. pl. dble, flowering Cherry	.	.	4 ft.	3.00 25.00
400	" <i>cerasifera</i> , Myroolan Plum	.	.	2 to 3 ft.	.75 6.00
100	" <i>Japonica</i> , dble Almond, rose and white	.	.	18 in.	2.00 15.00
50	" <i>Pissardi</i>	.	.	5 to 6 ft.	2.00
200	" <i>pumila</i>	.	.	2 to 3 ft.	1.25 10.00
25	" <i>triloba</i>	.	.	4 to 5 ft.	2.00
100	<i>Pyrus arbutifolia</i> , red fruited	.	.	3 to 4 ft.	1.25 10.00
500	" <i>baccata</i> (seedlings)	.	.	2 to 3 ft.	.60 5.00
25	" <i>betulaefolia</i>	.	.	4 to 5 ft.	1.50
100	" <i>coronaria</i>	.	.	3 ft.	2.00 15.00
100	" <i>floribunda</i> , 1 yr.	.	.	2 to 3 ft.	1.25 10.00
100	" " <i>Parkmanii</i> , 1 yr.	.	.	2 to 3 ft.	1.25 10.00
1000	" <i>Japonica</i> , Japan Pear	.	.	3 to 4 ft.	.75 6.00
1000	" " " "	.	.	1 to 2 ft.	.50 4.00
200	" <i>spectabile</i> fl. <i>alba</i> pl. and fl. <i>rosea</i> pl., 1 yr.,	.	.	2 to 3 ft.	1.25 10.00
1000	<i>Quercus coccinea</i> , from seed bed	.	.	8 to 12 in.	.40 3.00
200	" <i>palustris</i>	.	.	3 to 4 ft.	1.25 10.00
500	" "	.	.	2 to 3 ft.	1.00 8.00
200	" <i>rubra</i>	.	.	3 to 4 ft.	1.25 10.00
1000	" " from seed bed	.	.	2 to 3 ft.	.50 4.00
500	<i>Rhamnus catharticus</i>	.	.	3 to 4 ft.	.50 4.00
1000	" "	.	.	6 to 12 in.	.25 2.00
300	" <i>frangula</i>	.	.	1 to 2 ft.	.50 4.00
200	<i>Rhodotypos kerrioides</i>	.	.	3 to 4 ft.	1.00 8.00
50	<i>Rhus Canadense</i>	.	.	3 to 4 ft.	1.50
500	" <i>copallina</i>	.	.	1 to 3 ft.	.75 6.00
500	" <i>glabra</i>	.	.	2 to 3 ft.	.75 6.00
500	" <i>typhina</i>	.	.	2 to 3 ft.	1.00 8.00
200	<i>Ribes aureum</i>	.	.	2 to 3 ft.	.75 6.00
2000	<i>Rosa Carolina</i> (heavy)	.	.	3 ft.	.75 6.00
100	" <i>canina</i> (heavy)	.	.	3 to 4 ft.	.40 5.00
100	" <i>crimson rambler</i>	.	.	3 to 4 ft.	1.75 15.00
500	" <i>lucida</i>	.	.	1 to 2 ft.	.75 6.00
500	" " <i>alba</i>	.	.	1 ft.	3.00 25.00
500	" <i>multiflora</i>	.	.	1 to 2 ft.	.50 4.00
200	" <i>rubrifolia</i>	.	.	2 to 3 ft.	1.50 12.00
500	" <i>rubiginosa</i>	.	.	3 to 4 ft.	.75 6.00
1000	" " seed bed, small	.	.		1.00
300	" <i>rugosa</i>	.	.	2 to 3 ft.	1.25 10.00
200	" " <i>alba</i>	.	.	2 ft.	1.75 15.00
1000	" <i>setigera</i>	.	.	3 to 4 ft.	1.00 8.00
160	" <i>stylosa</i>	.	.	2 to 3 ft.	.60 5.00
200	" <i>tomentosa</i>	.	.	2 to 3 ft.	.60 5.00
100	" " <i>fœtida</i>	.	.	2 to 3 ft.	.60 5.00
300	" <i>Wichuriana</i>	.	.	2 to 3 ft.	1.25 10.00
200	" <i>Virginiana</i>	.	.	2 to 3 ft.	.60 5.00
200	<i>Salx alba</i>	.	.	4 to 6 ft.	.75 6.00
500	" " <i>vitellina</i> , var. from Russia	.	.	4 to 6 ft.	.75 6.00
200	" <i>Babylonica</i> , Napoleon Weeping Willow	.	.	8 to 10 ft.	1.00 9.00
200	" " var. <i>Wisconsin Weeping Willow</i>	.	.	8 to 10 ft.	1.00 9.00
50	" <i>myrtifolia</i>	.	.	3 to 4 ft.	1.50
500	" <i>pentandra</i> , Laurel-leaved Willow	.	.	3 to 4 ft.	.80 7.00
100	" <i>rosmarinifolia</i>	.	.	4 to 5 ft.	1.00 8.00
100	" <i>Solomon's Palm</i>	.	.	8 to 10 ft.	1.00 9.00
500	<i>Sambucus Canadense</i>	.	.	2 to 3 ft.	1.00 8.00
500	" " var. <i>aurea</i>	.	.	2 to 3 ft.	1.25 10.
50	" <i>racemosa</i>	.	.	4 to 6 ft.	1.50
25	<i>Sassafras officinale</i>	.	.	4 to 5 ft.	2.00
100	<i>Spiraea Anthony Waterer</i>	.	.	1 ft.	1.25 12.00
100	" <i>arguta multiflora</i>	.	.	2 to 3 ft.	1.25 12.00

			Per 10	Per 100
200	<i>Spiraea Billardii</i>		4 to 5 ft.	1.00 8.00
100	" <i>Bumalda</i>		2 to 3 ft.	1.25 10.00
60	" <i>Cantoniensis</i> fl. pl. (<i>Reevesiana</i>)		3 ft.	1.25 10.00
100	" <i>discolor</i> , var. <i>aerifolia</i>		2 to 3 ft.	1.30 12.00
100	" <i>Japonica</i> (<i>callosa</i>) Fortune's red		2 to 3 ft.	1.00 8.00
100	" <i>prunifolia</i> fl. pl.		4 to 5 ft.	1.00 8.00
500	" <i>Thunbergii</i>		12 to 18 in.	.75 7.00
100	" <i>tomentosa</i> , pink		3 to 4 ft.	.75 7.00
500	" <i>Van Houttei</i>			1.25 10.00
50	<i>Staphylea Colchica</i>		3 ft.	1.50
25	<i>Styrax Japonica</i>		2 to 3 ft.	2.00
3000	<i>Syphoricarpus racemosus</i>		2 to 3 ft.	.40 3.00
2000	" <i>vulgaris</i>		2 to 3 ft.	.50 4.00
100	<i>Syringa Josikaea</i>		18 to 24 in.	1.00 8.00
400	" <i>Persica</i> , in four varieties		3 to 4 ft.	1.75 15.00
200	" <i>villosa</i>		2 ft.	1.75 15.00
250	" <i>vulgaris</i>		3 ft.	1.25 10.00
250	" " <i>alba</i>		3 ft.	1.25 10.00
200	" " in twelve named varieties		1 ft.	2.00 15.00
200	<i>Tilea Americana</i>		4 to 6 ft.	1.00 8.00
25	" <i>Argentea</i>		5 to 6 ft.	3.00
500	" <i>Europaea</i>		2 to 3 ft.	.75 6.00
50	<i>Ulmus Americana</i> , stocky, selected		9 to 10 ft.	5.00
200	" "		9 to 10 ft.	3.00 25.00
200	" <i>campestris</i>		2 to 3 ft.	1.00 8.00
500	<i>Viburnum cassinoides</i>		12 to 15 in.	1.50 12.00
300	" <i>dentatum</i>		1 to 2 ft.	1.00 8.00
200	" <i>Lantana</i>		3 to 4 ft.	1.00 8.00
5000	" <i>opusum</i> from seed bed, small			1.00
200	" " <i>sterilis</i>		2 to 3 ft.	1.25 10.00
50	" <i>plicatum</i>		2 ft.	2.00
200	" <i>tomentosum</i>		2 to 3 ft.	2.50 20.00
30	<i>Xanthoceras sorbifolia</i>		8 to 12 in.	3.00
500	<i>Xanthorhiza apiifolia</i> , single shoots			.75 5.00
200	<i>Yucca filamentosa</i> , strong			1.25 10.00

VINES AND CLIMBERS.

			Per 10	Per 100
50	<i>Akebia quinata</i>			1.50
1000	<i>Ampelopsis quinquefolia</i> , strong,			.75 6.00
500	" <i>Vetchii</i>			1.25 10.00
500	<i>Apis tuberosa</i>			.50 4.00
300	<i>Arctostaphylos Uva-Ursi</i> , pot plants			1.25 10.00
500	<i>Bignonia radicans</i> , strong			.75 6.00
150	<i>Celastrus scandens</i> ,		1 to 2 ft.	.75 6.00
50	" <i>panniculata</i> , strong,			1.25 10.00
500	" " from seed bed		6 to 10 in.	3.00
200	<i>Clematis apiifolia</i> , strong field grown			1.25 12.00
100	" <i>coccinea</i> , " " "			1.75 15.00
200	" <i>panniculata</i> from three-inch pots			1.25 10.00
100	" <i>Virginiana</i>			.75 6.00
200	<i>Euonymous Japonicus</i> var. <i>radicans</i>			1.00 8.00
50	<i>Hedera helix</i> (a hardy form) small plants			1.25 10.00
200	<i>Lonicera Japonica</i> , heavy,			.75 6.00
500	" " var. <i>Halleana</i>			1.25 10.00
100	<i>Periploca Graeca</i>		1 to 2 ft.	1.00 8.00
40	<i>Wisteria Sinensis</i> , strong			1.75 15.00
200	" <i>frutescens</i> , strong			.75 6.00
50	" <i>multijuga</i> , strong			2.50
50	" " <i>alba</i> , strong			3.00

COMMONWEALTH OF MASSACHUSETTS—STATE BOARD OF AGRICULTURE

Official Certificate No. 7.

Boston, August 27, 1902.

To WHOM IT MAY CONCERN:

This is to certify that I have this twenty-seventh day of August, 1902, completed the inspection of the nursery stock of Old Colony Nurseries, T. R. Watson, prop't, grown at Plymouth, State of Massachusetts, and find it to be apparently free from the San José Scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.

This certificate is good until July 1, 1903.

(Signed) H. T. FERNALD, Inspector.